#### **City of Berlin**

### Memo

To: Berlin City Council

From: Jim Wheeler, City Manager

**Date:** 11-21-2016

Re: City Manager's Report

- On October 19, 2016 the City received an abutter notice from the AVRRDD. They are in the
  process of applying for a permit modification for additional landfill capacity at Mt. Carberry. If
  approved, a vertical expansion within the existing landfill footprint would be created. The
  abutter notice is attached.
- 2. The total number of ballots cast in the November 8<sup>th</sup> election was 4065. This is a 74% turnout rate. We had 394 (8%) new voters register to vote. The AG's office inspected St. Anne's Hall and found everything in order. There were approximately 5 people from the Democratic Party that stayed at the polling locations inspecting the election proceedings. Wards 1 and 4 had some issues with the electronic ballot counting devices. Both locations were able to resolve them and get back up and running in a relatively short period of time.

As always, the City's election workers did a fantastic job at keeping things moving and organized. All locations had lines of people waiting for the polls to open. It was a busy day, but all in all went quite smoothly.

- 3. The City accepted sealed bids for the demolition and removal of debris at 630 Rockingham Street, 290 Grafton Street, 167 Willow Street, and 615 Fourth Avenue in two separate contracts. The low bid for demolishing the three buildings was Hammond Grinding of Canaan, NH at a cost of \$26,680.00. Cross Excavation of Bethel ME bid \$5,493.00 to demolish 615 Fourth Avenue. Work will begin on 167 Willow St. this week. The bid results are attached.
- 4. We received four bids for the purchase of a backhoe loader. The apparent low bidder is Northland JCB of Wilmington, MA. Bids are being reviewed to be sure that they meet the specifications. The bid results are attached.

- 5. In our efforts to identify and eliminate infiltration and inflow (I&I) from the Wastewater Collection System we will be undertaking a house-to-house inspection program to identify sources of I&I, which can come from foundation drains, roof drains, and/or sump pumps that may be connected to interior sanitary piping. Beginning on the week of October 3<sup>rd</sup> going on until the end of the year, an employee of the firm of Wright-Pierce Engineering and a City staff member will be inspecting homes on the East Side. The City would greatly appreciate the cooperation of citizens when the team arrives to perform their inspections. If you have any questions, please call (603) 752-4450.
- 6. On Thursday, November 17th the Waste Water Treatment Plant was without water due to a broken 6" water service line break. Berlin Water Works responded to repair the line as quickly as possible. Water was restored by 2:00 p.m. on Friday the 18th and the plant ran well all weekend. The facility has a backup plant water system that functioned as expected and allowed the Waste Water Treatment Plant to operate throughout the service line break period.
- 7. Tax bills were mailed last week and payments are due December 20th.
- 8. The Recreation Department received a generous donation of \$563.80 from the BHS Girls Soccer Team. A thank you letter from Terry Letarte to the editor of the Berlin Daily Sun is attached.
- 9. We welcome Missy Wedge to the Recreation Department. She will begin working as the Recreation Assistant and will be helping Terry with recreational programming.
- 10. A small group of City employees have been spreading Christmas spirit by working on a float for the Christmas Parade. Be sure to look for "Jingle Bells" at the parade to be held on Friday, November 25th at 7:00 p.m. in downtown Berlin. Thanks to those who helped put the float together and a special thanks to Lise Barrette from the Public Works and Parks Dept. for taking the lead in organizing the effort!!!
- 11. Patty Chase, recently completed an intensive leadership development program. The Primex³ Emerging Leaders Program is a dynamic 7-month professional development opportunity to develop the competencies needed to grow in leadership effectiveness. A cohort of 16 individuals with high leadership potential from the Primex³ membership, who were nominated and endorsed by their supervisors, were selected and participated in the program. Patty should be commended for her commitment to learning and leadership development. The City and the Citizens are the ultimate beneficiary.
- 12. The Public Works Activity Report for October is attached.
- 13. The Fire Department's Activity Report for September is attached.

## Androscoggin Valley Regional Refuse Disposal District



October 18, 2016

City Manager City Hall, 168 Main Street Berlin, NH 03570

#### VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED

RE: Androscoggin Valley Regional Refuse Disposal District,

Mt. Carberry Secure Landfill (DES-SW-88-029) Notice to Abutters for Stage 12 Landfill Expansion NHDES - Type I-A Permit Modification Application

Berlin Property: Map 116 - Lots 23 & 23.01; Map 117 - Lot 3; Map 132 - Lot 27; Map 133 – Lot 78

The Androscoggin Valley Regional Refuse Disposal District (the District) is in the process of applying for a Type I-A permit modification that would provide for additional landfill capacity in a vertical expansion of the Mt. Carberry Secure Landfill. Our records indicate you own land abutting the landfill site. This letter serves as notice to abutters of the filing of the application with the New Hampshire Department of Environmental Services (NHDES) as required in RSA 149-M and the New Hampshire Solid Waste Rules.

The Mt. Carberry Secure Landfill is located in Success township on Bean Brook Road and is accessed from Hutchins Street in Berlin, NH. The NHDES Standard Facility Permit for the landfill is number DES-SW-88-029. The Type I-A Permit Modification application is scheduled to be submitted to NHDES on or around October 20, 2016.

The modification, if approved, would allow for a vertical expansion within the existing landfill footprint, which is referred to as Stage 12. The landfill is a municipally-owned commercial facility accepting wastes from residents and businesses located in the District, New Hampshire and neighboring states plus the Gorham Paper and Tissue (GPT) mill. Stage 12 would be permitted to accept the same types of wastes as currently permitted, including municipal solid waste, wastes from the GPT paper mill, construction and demolition debris, asbestos containing materials, automobile shredder residue, treatment plant sludge and special wastes meeting NHDES requirements. Stage 12 does not involve any new landfill base area construction. All filling will be above the existing permitted grades within the existing landfill footprint. Operation of Stage 12 is anticipated to start as early as January 2022. Stage 12 would provide approximately 710,000 cubic yards of additional disposal capacity over an approximately 2.3 year operating period.

The applications can be reviewed during normal business hours at the District's offices at 15 Mt. Forist Street, Berlin, NH 03570, at the Coos County offices at 136 County Farm Road, West Stewartstown, NH 03597, and at NHDES located at 29 Hazen Drive, Concord, NH. The permit PO Box 336, Berlin, NH 03570

Tel. (603) 752-3342 Fax (603) 752-4388 applicant, facility owner, and property owner is the District. The facility is operated under contract with the District by the Cianbro Corporation.

The New Hampshire Solid Waste Rules include specific procedures regarding the review and issuance or denial of permit modification applications. Once the application is submitted, the NHDES will make a determination of completeness within 60 days of receipt. Once determined complete, the NHDES will undertake a technical review and determine whether the proposal meets all requirements of the Rules. The technical review process by NHDES must be completed within 120 days of the day the complete application is received. In addition, the NHDES will hold a public hearing in Berlin during the technical review process. Following the close of the technical review process and no earlier than 30 days after the hearing, the NHDES will make a final decision to issue or deny the requested modification. Attached is a flow chart for a standard permit application, which is substantially the same as the process for a Type I-A permit modification.

The District's mailing address is 15 Mt. Forist Street, P.O. Box 336, Berlin, NH 03570. The contact person for the District is Ms. Sharon Gauthier, Executive Director, who can be reached at the District's office in Berlin or at 603-752-3342 or at <a href="mailto:sgauthier@avrrdd.org">sgauthier@avrrdd.org</a>.

The contact person at NHDES is Mr. Paul Gildersleeve, NHDES Waste Management Division, P.O. Box 95, 29 Hazen Drive, Concord, NH 03302-0095 or at (603) 271-2935 or paul.gildersleeve@des.nh.gov.

Sincerely,

Androscoggin Valley Regional Refuse Disposal District

Sharon Gauthier Executive Director

Enclosure:


NHDES Application Flow Chart

cc w/o enc:

Paul Gildersleeve, P.E., NHDES Paul Schmidt, P.E. CMA Engineers



## STANDARD PERMIT APPLICATION PROCESSING PROVISIONS AS PROVIDED IN PARTS Env-Sw 303 - 305 OF THE NEW HAMPSHIRE SOLID WASTE RULES



## CITY OF BERLIN Contract 2016-12 630 Rockingham, 290 Grafton, 167 Willow Thursday, November 10, 2016 – 2:00 p.m.

Bid Opening Attendees - please sign in below:

Sanal-Romanouski Emma luntis

Arrobe Green

Frichals-Payollethis Judanyanez

BIDDER	Bid Amount	Date/Time	Other
	Þ		
Cross Excavation, Bethel, ME	7,537	10:30 a.m. 10/10	
Milan Excavating, Milan, NH		1:15 p.m. 10/10	
	1001 100	1:35 p.m. 10/10	
n, NH	089°9Cg	1:40 p.m. 10/10	
Lee T. Corrigan, Gorham, NH		1:40 p.m. 10/10	
Ray's Electric, Berlin		1:45 p.m. 10/10	

## Thursday, November 10, 2016 - 2:00 p.m. 615 Fourth Avenue CITY OF BERLIN Contract 2016-13

Bid Opening Attendees – please sign in below:

Goval Romanovali

Emma Ouchs

Think Kayalletui

BIDDER	Bid	Date/Time	Other
Fortier & Associates, Berlin	151,5	8:27 a.m. 10/10	
Cross Excavation, Bethel, ME	\$ 5,493 10:30 i	10:30 a.m. 10/10	
Milan Excavating, Milan, NH	14,513	1:15 p.m. 10/10	
	\$ 10,220	1:35 p.m. 10/10	
n, NH	× 7 500	1:40 p.m. 10/10	
H	* 9.050	1:40 p.m. 10/10	
	\$ (0 × 00 1:45 p.m. 10/10	1:45 p.m. 10/10	
	)		

# CITY OF BERLIN Contract 2016-09 Purchase Backhoe Loader Thursday, October 27, 2016 – 2:00 p.m.

Bid Opening Attendees - please sign in below:

	7.6	T. T.	O.th.
BIDDER	Bia Amount	Date/ Lime	Officer
Beauregard Equipment, Concord	\$129,500.00	\$129,500.0010/18 1:30 pm	
Milton Cat, Richmond VT	\$134,500.00	\$134,500.0010/27 8:33 am	
Nortrax, Pembroke NH	\$133,000.00	\$133,000.0010/27 11:00 am	
Northland JCB, Wilmington, MA	\$109,000.00	\$109,000.0010/27 1:16 pm	



#### The Berlin Community Services Division

#### **Recreation & Parks Department**

First Avenue, Berlin NH 03570 (603) 752-2010, Fax 752-8588, TDD 752-1610, tletarte@berlinnh.gov

November 09, 2016

Letter to the Editor:

Thank you so very much to the BHS Girls Soccer Team for their recent donation of \$563.80 to the Berlin Recreation department.

Berlin Recreation strives to be all-inclusive regardless of athleticism or ability to pay. The soccer team's generosity will insure that many who struggle to pay even the most basic of program fees will be able to enjoy activities that many register for without hesitation. Having a few members of the team work with Berlin Recreation during the summer reinforced their desire to see all the children of the area remain active, regardless of their financial situation. Thank You BHS Girls Soccer for your foresight in seeing such a need and wanting to do something about it.

I commend the Berlin High School Girls Soccer League for their team spirit and compassion. Many will appreciate and benefit from their generous donation!

Sincerely,

Terry Letarte, Program Director Berlin Recreation & Parks Department

# City of Berlin Public Works Deparment 2016 Activity Report

	Dec	Nov	ö	Sept	Aug	July	June	June May	April	Mar	Feb	Jan	Year to	Year
	2016	2016	2016	2016	2016	2016	2016	2016	2016	2016	2016	2016	Date 2016	2015
Total Service Requests			70	88	88	11	81	82	69	80	61	53	749	762
Administrative Service Requests			4	1	7	9	8	6	5	9	7	6	79	15
Cemetary burials			2	0	3	1	3	0	1	2	3	0	15	24
Maintenance:Bldg/Furniture repair,											•			
Fences/Railings/Walls,						- 4-1-								
Lawns/Trees, Signs			33	24	32	30	13	13	9	13	13	8	185	153
Parks and Grounds			9	14	6	4	4	11	13	4	7		72	48
Refuse/Recycle/Yard Waste			4	4	9	5	9	8	5	3	5	10	95	58
Sanitary Sewer			8	52	5	6	16	7	8	6	9	3	26	76
Storm Drainage System			3	7	6	8	9	10	8	28	5	2	86	75
Streets and Highways: Repairs of														
curbs/sidewalks/streets,				•	•				•		•			
line painting, sweeping, sanding,														
sand barrels, paving and potholes			10	12	17	14	25	24	23	15	15	21	176	313

City Owned Property Service Requests												
City Hall	3	6	5	10	3	5	3	9	9	4	54	41
Recreation Dept.	2	1	4	0	0	2		4	0	0	17	
Library	1	1	0	0	0	0		0		2	4	10
Fire Dept.	2	1	1	0	1	0		2		0		5
Schools	0	0	1	0	2	F	1	0	0	0	5	
Bridges	0	1	0	0	0	0	ļ	0		0		2
Parks/Fields/Other City owned	7	13	2	1	. 6	11		4	3	1	63	23

#### Incident Type Report

Incident	Alm Date	Time	Primary Action	Property Use	<del></del> -
100 Fire, Other					············
16-0000375-000	09/12/2016	15:50:00	86 Investigate	938 Graded and cared-for	plots of
Incident Type Co	ount: 1			Percent of All:	1.9%
131 Passenger v	ehicle fire				
16-0000380-000	09/15/2016	17:42:00	11 Extinguishment by	fire50s0erWienerapetrisken,neblusiness	, Other
Incident Type Co	ount: 1			Percent of All:	1.9%
140 Natural veg	etation fire	, Other			
16-0160372-000	09/10/2016	21:07:00	10 Fire control or ex	ting <b>41</b> 9shmlemotr, 2otfmennily dwelli	ng
Incident Type Co	ount: 1			Percent of All:	1.9%
141 Forest, wood	ds or wildla	nd fire			
		· · · · · · · · · · · · · · · · · · ·	11 Extinguishment by	fire669ervForcestarstonmberland.	woodland
16-0000365-000 16-0000383-000	09/06/2016 09/16/2016	11:34:00		fire669ervFormespharsdombeelrland, tingASilshompmen, kannoeror field	<del></del>
16-0000365-000 16-0000383-000 Incident Type Co	09/06/2016 09/16/2016 ount: 2	11:34:00 13:20:00	10 Fire control or ex	_	woodland 3.9%
16-0000365-000 16-0000383-000 Incident Type Co	09/06/2016 09/16/2016 ount: 2 ush-and-gras	11:34:00 13:20:00	10 Fire control or ex	tingAfilshmanen, landeror field  Percent of All:	3.9%
16-0000365-000 16-0000383-000 Incident Type Co  142 Brush or bro  16-0000368-000	09/06/2016 09/16/2016 ount: 2 ush-and-grass	11:34:00 13:20:00 <b>s mixture</b> 15:07:00	10 Fire control or ex  fire  86 Investigate	tingAfilshmanen, landeror field  Percent of All:	3.9% ng
16-0000365-000 16-0000383-000 Incident Type Co 142 Brush or brush 16-0000368-000 16-0000385-000	09/06/2016 09/16/2016 ount: 2 ush-and-gras: 09/07/2016 09/18/2016	11:34:00 13:20:00 <b>s mixture</b> 15:07:00	10 Fire control or ex  fire  86 Investigate	tingAffilshm@pmetn, loathwebor field  Percent of All:  419 1 or 2 family dwelli	3.9% ng
16-0000365-000 16-0000383-000 Incident Type Co  142 Brush or bro 16-0000368-000 16-0000385-000 Incident Type Co	09/06/2016 09/16/2016 ount: 2 ush-and-grass 09/07/2016 09/18/2016 ount: 2	11:34:00 13:20:00 s mixture 15:07:00 10:00:00	10 Fire control or ex  fire  86 Investigate	tingASilshmannen, landmeror field  Percent of All:  419 1 or 2 family dwelli tigaNti9on 1& cenforfændenyt dwaethlei	3.9% ng mg
16-0000365-000 16-0000383-000 Incident Type Co  142 Brush or bro 16-0000368-000 16-0000385-000 Incident Type Co  160 Special out	09/06/2016 09/16/2016 ount: 2 ush-and-gras: 09/07/2016 09/18/2016 ount: 2 side fire, 0	11:34:00 13:20:00 s mixture 15:07:00 10:00:00	10 Fire control or ex  fire  86 Investigate	tingASilshmannen, landmeror field  Percent of All:  419 1 or 2 family dwelli tigaNti9on 1& cenforfændenyt dwaethlei	3.9% ng mg 3.9%
141 Forest, wood 16-0000365-000 16-0000383-000 Incident Type Co 142 Brush or bru 16-0000368-000 16-0000385-000 Incident Type Co 160 Special out: 16-0000396-000 Incident Type Co	09/06/2016 09/16/2016 ount: 2 ush-and-gras: 09/07/2016 09/18/2016 ount: 2 side fire, 0	11:34:00 13:20:00 s mixture 15:07:00 10:00:00	fire  86 Investigate 80 Information, inves	Percent of All:  Percent of All:  419 1 or 2 family dwelli tigatti9on 1& cent2orfæmidnyt dwætthe	3.9% ng mg 3.9%
16-0000365-000 16-0000383-000 Incident Type Co  142 Brush or brush 16-0000368-000 16-0000385-000 Incident Type Co  160 Special out: 16-0000396-000 Incident Type Co	09/06/2016 09/16/2016 ount: 2 ush-and-gras: 09/07/2016 09/18/2016 ount: 2 side fire, 0 09/23/2016 ount: 1	11:34:00 13:20:00 s mixture 15:07:00 10:00:00	fire  86 Investigate 80 Information, inves	Percent of All:  419 1 or 2 family dwelli tigation is centorizeniant dwarlies  Percent of All:  Percent of All:	3.9%  ng  mg  3.9%
16-0000365-000 16-0000383-000 Incident Type Co  142 Brush or brush 16-0000368-000 Incident Type Co  160 Special out 16-0000396-000 Incident Type Co  311 Medical ass	09/06/2016 09/16/2016 ount: 2 ush-and-gras: 09/07/2016 09/18/2016 ount: 2 side fire, 0: 09/23/2016 ount: 1	11:34:00 13:20:00 s mixture 15:07:00 10:00:00	fire  86 Investigate 80 Information, inves  86 Investigate	Percent of All:  419 1 or 2 family dwellitigattion is conformed by dwellitigattion in conformation of All:  Percent of All:  569 Professional supplies  Percent of All:	3.9%  ng  3.9%  es, service  1.9%
16-0000365-000 16-0000383-000 Incident Type Co  142 Brush or brush 16-0000368-000 16-0000385-000 Incident Type Co  160 Special out: 16-0000396-000 Incident Type Co  311 Medical ass 16-0000381-000	09/06/2016 09/16/2016 ount: 2 ush-and-gras: 09/07/2016 09/18/2016 ount: 2 side fire, 0 09/23/2016 ount: 1 ist, assist 1 09/15/2016	11:34:00 13:20:00 s mixture 15:07:00 10:00:00 ther 23:00:00	fire  86 Investigate 80 Information, inves  86 Investigate	Percent of All:  419 1 or 2 family dwellitigation is centerially dwellitigation.  Percent of All:  Percent of All:  569 Professional supplied  Percent of All:  419 1 or 2 family dwellitigation.	3.9%  ng  mg  3.9%
16-0000365-000 16-0000383-000 Incident Type Co  142 Brush or bro 16-0000368-000 16-0000385-000 Incident Type Co  160 Special out 16-0000396-000	09/06/2016 09/16/2016 ount: 2 ush-and-gras: 09/07/2016 09/18/2016 ount: 2 side fire, 0: 09/23/2016 ount: 1	11:34:00 13:20:00 s mixture 15:07:00 10:00:00 ther 23:00:00 EMS crew 23:29:00 07:48:00	fire  86 Investigate 80 Information, inves  86 Investigate	Percent of All:  419 1 or 2 family dwellitigattion is conformed by dwellitigattion in conformation of All:  Percent of All:  569 Professional supplies  Percent of All:	3.9%  ng  mg  3.9%

16-0000366-000 09/06/2016 13:10:00 22 Rescue, remove from haman Street, Other

Page 1

352 Extrication of victim(s) from vehicle

#### Incident Type Report

#### Alarm Date Between {09/01/2016} And {09/30/2016}

Incident	Alm Date	Time	Primary Action	Prop	erty Use
Incident Type C	ount: 1				Percent of All: 1.9%
381 Rescue or E	MS standby				
16-0000394-000	09/22/2016	00:04:00	92 Standby	331	Hospital - medical or psychiat:
16-0000404-000	09/27/2016	07:00:00	92 Standby	615	Electric-generating plant
16-0000405-000	09/27/2016	10:20:00	92 Standby	615	Electric-generating plant
16-0000407-000	09/27/2016	15:37:00	92 Standby	331	Hospital - medical or psychiat:
Incident Type C	ount: 4				Percent of All: 7.8%
411 Gasoline or	·				
16-0000362-000	09/03/2016	19:33:00	44 Hazardous materials	1e9a600 c	continuent, & Ottometrainment
Incident Type C	ount: 1				Percent of All: 1.9%
412 Gas leak (na	atural gas o	r LPG)			
16-0000376-000	09/14/2016	14:45:00	86 Investigate	331	Hospital - medical or psychiat:
		····		····	· · · · · · · · · · · · · · · · · · ·
Incident Type C	ount: 1				Percent of All: 1.9%
<b>413 O</b> il or othe	r combustible 09/16/2016	20:44:00	45 Remove hazard	962	Residential street, road or res
<b>413 Oil or othe</b> 16-0000384-000	r combustible 09/16/2016	20:44:00	<del>-</del> 		
<b>413 Oil or othe</b> 16-0000384-000 16-0000393-000	r combustible 09/16/2016 09/21/2016	20:44:00	45 Remove hazard		Residential street, road or res
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type Co	r combustible 09/16/2016 09/21/2016 ount: 2 xide incident	20:44:00 23:18:00	45 Remove hazard 45 Remove hazard	419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type Co 424 Carbon monor	r combustible 09/16/2016 09/21/2016 ount: 2 xide incident 09/01/2016	20:44:00 23:18:00 23:19:00	45 Remove hazard 45 Remove hazard 86 Investigate	419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type Co 424 Carbon monor	r combustible 09/16/2016 09/21/2016 ount: 2 xide incident 09/01/2016	20:44:00 23:18:00 23:19:00	45 Remove hazard 45 Remove hazard	419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type Co 424 Carbon monor 16-0000361-000 16-0160367-000	r combustible 09/16/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016	20:44:00 23:18:00 23:19:00	45 Remove hazard 45 Remove hazard 86 Investigate	419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type Co 424 Carbon monor 16-0000361-000 16-0160367-000	r combustible 09/16/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016	20:44:00 23:18:00 23:19:00	45 Remove hazard 45 Remove hazard 86 Investigate	419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling 1 or 2 family dwelling
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type C 424 Carbon monor 16-0000361-000 16-0160367-000 Incident Type C	r combustible 09/16/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016  ount: 2  down	20:44:00 23:18:00 23:18:00 19:29:00 14:55:00	45 Remove hazard 45 Remove hazard  86 Investigate 45 Remove hazard	419 419 419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling 1 or 2 family dwelling Percent of All: 3.9%
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type C 424 Carbon monor 16-0000361-000 16-0160367-000 Incident Type C	r combustible 09/16/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016  ount: 2  down	20:44:00 23:18:00 23:18:00 19:29:00 14:55:00	45 Remove hazard 45 Remove hazard 86 Investigate	419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling 1 or 2 family dwelling Percent of All: 3.9%
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type Co 424 Carbon monor 16-0000361-000 16-0160367-000 Incident Type Co 444 Power line 16-0000390-000	r combustible 09/16/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016  ount: 2  down 09/21/2016	20:44:00 23:18:00 23:18:00 19:29:00 14:55:00	45 Remove hazard 45 Remove hazard  86 Investigate 45 Remove hazard	419 419 419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling 1 or 2 family dwelling Percent of All: 3.9%
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type C 424 Carbon monor 16-0000361-000 Incident Type C 444 Power line 16-0000390-000 Incident Type C	r combustible 09/16/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016  ount: 2  down 09/21/2016  ount: 1	20:44:00 23:18:00 23:18:00 19:29:00 14:55:00	45 Remove hazard 45 Remove hazard  86 Investigate 45 Remove hazard  45 Remove hazard	419 419 419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling 1 or 2 family dwelling Percent of All: 3.9%
413 Oil or other 16-0000384-000 16-0000393-000 Incident Type Co 424 Carbon monor 16-0000361-000 16-0160367-000 Incident Type Co 444 Power line 16-0000390-000 Incident Type Co 460 Accident, p	r combustible 09/16/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016  ount: 2  down 09/21/2016  ount: 1	20:44:00 23:18:00 23:18:00 19:29:00 14:55:00	45 Remove hazard 45 Remove hazard  86 Investigate 45 Remove hazard  45 Remove hazard	419 419 419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling 1 or 2 family dwelling Percent of All: 3.9%  1 or 2 family dwelling Percent of All: 1.9%
### Type Control of the control of t	r combustible 09/16/2016 09/21/2016 09/21/2016  ount: 2  xide incident 09/01/2016 09/07/2016  ount: 2  down 09/21/2016 ount: 1  otential acc 09/10/2016 09/14/2016	20:44:00 23:18:00 23:18:00 19:29:00 14:55:00 15:32:00	45 Remove hazard 45 Remove hazard  86 Investigate 45 Remove hazard  45 Remove hazard	419 419 419 419	Residential street, road or rest or 2 family dwelling  Percent of All: 3.9%  1 or 2 family dwelling 1 or 2 family dwelling Percent of All: 3.9%  1 or 2 family dwelling Percent of All: 1.9%  Property Use, MIXED Multifamily dwelling

#### Incident Type Report

#### Alarm Date Between {09/01/2016} And {09/30/2016}

Inci <b>de</b> nt	Alm Date	Time	Primary Action	Prop	erty Use	
Incident Type C	ount: 3				Percent of All:	5.8%
462 Aircraft st	andby					
16-0000363-000	09/05/2016	14:36:00	92 Standby	331	Hospital - medical o	r psychia
16-0000370-000	09/09/2016	18:00:00	92 Standby	331	Hospital - medical o	r psychia
16-0000378-000	09/15/2016	13:19:00	92 Standby	331	Hospital - medical o	r psychia
16-0000398-000	09/24/2016	19:18:00	92 Standby	331	Hospital - medical o	r psychia
16-0000402-000	09/26/2016	10:12:00	92 Standby	331	Hospital - medical o	r psychia
Incident Type C	ount: 5				Percent of All:	9.8%
463 Vehicle acc	ident, genera	al cleanup				
16-0000379-000	09/15/2016	14:10:00	45 Remove hazard	400	Residential, Other	· · · · · · · · · · · · · · · · · · ·
Incident Type C	ount: 1				Percent of All:	1.9%
500 Service Cal	l, other					
16-0000386-000	09/18/2016	10:34:00	85 Enforce codes	419	1 or 2 family dwelli	ng
16-0000401-000	09/26/2016	09:00:00	63 Restore fire ala	rm sy <b>s</b> icen	Household goods, sal	es, repai
16-0000410-000	09/30/2016	21:50:00	76 Provide water	900	Outside or special p	roperty,
Incident Type C	ount: 3		•		Percent of All:	5.8%
510 Person in d	istress, Oth	er				
16-0000373-000	09/10/2016	22:05:00	34 Transport person	931	Open land or field	
Incident Type C	ount: 1				Percent of All:	1.9%
511 Lock-out						
16-0000360-000	09/01/2016	15:39:00	52 Forcible entry	419	1 or 2 family dwelli	ng
16-0000399-000	09/25/2016	15:24:00	52 Forcible entry	419	1 or 2 family dwelli	ng
Incident Type C	ount: 2				Percent of All:	3.9%
520 Water probl	em, Other					
16-0000392-000	09/21/2016	17:12:00	76 Provide water	960	Street, Other	
Incident Type C	count: 1				Percent of All:	1.9%
542 Animal reso	:ue					
16-0000409-000	09/30/2016	17:46:00	22 Rescue, remove f	rom hænen6	Lake, river, stream	
10/24/2016 10:	45				Page	3

#### Incident Type Report

#### Alarm Date Between {09/01/2016} And {09/30/2016}

	Alm Date	Time	Primary Action	Prop	erty Use	
Incident Type (	Count: 1				Percent of All:	1.9%
622 No Incident	found on ar	rival at d	ispatch address			
16-0000364-000	09/05/2016	21:14:00	86 Investigate	963	Street or road in	commercial a
Incident Type (	Count: 1				Percent of All:	1.9%
651 Smoke scare	e, odor of sm	oke				
16-0000400-000	09/25/2016	23:44:00	86 Investigate	331	Hospital - medical	or psychiat
Incident Type (	Count: 1				Percent of All:	1.9%
700 False alarm	n or false ca	ll, Other				
16-0000389-000	09/19/2016	15:00:00	86 Investigate	615	Electric-generatin	g plant
Incident Type (	Count: 1				Percent of All:	1.9%
711 Municipal a	alarm system,	malicious	false alarm			
16-0000403-000	09/27/2016	06:03:00	86 Investigate	215	High school/junior	high school
					High school/junior	<del>-</del>
16-0000406-000	09/27/2016					<del>-</del>
16-0000406-000 Incident Type 0	09/27/2016  Count: 2	15:18:00	63 Restore fire a		High school/junior	high school
16-0000406-000  Incident Type 0  733 Smoke detec	09/27/2016  Count: 2  ctor activati	15:18:00	63 Restore fire a	larm sysædefm	High school/junior	high school
16-0000406-000  Incident Type C  733 Smoke detect 16-0000369-000	09/27/2016  Count: 2  ctor activation 09/08/2016	15:18:00	63 Restore fire a	larm sysædefm	High school/junior  Percent of All:	high school
16-0000406-000  Incident Type C  733 Smoke detect 16-0000369-000	09/27/2016  Count: 2  ctor activation 09/08/2016  Count: 1	15:18:00 on due to 16:57:00	malfunction  60 Systems and se	larm sysædefm	High school/junior  Percent of All:  eMultifamily dwelli	3.9%
Incident Type C 733 Smoke detect 16-0000369-000 Incident Type C	09/27/2016  Count: 2  ctor activation 09/08/2016  Count: 1	15:18:00 on due to 16:57:00	malfunction  60 Systems and se	larm system	High school/junior  Percent of All:  eMultifamily dwelli	3.9%
16-0000406-000  Incident Type C  733 Smoke detect 16-0000369-000  Incident Type C  734 Heat detect 16-0000408-000	09/27/2016  Count: 2  Ctor activation 09/08/2016  Count: 1  tor activation 09/27/2016	15:18:00 on due to 16:57:00	malfunction  60 Systems and se	larm system	High school/junior  Percent of All:  Multifamily dwelli  Percent of All:	3.9%
16-0000406-000 Incident Type 0 733 Smoke detect 16-0000369-000 Incident Type 0 734 Heat detect 16-0000408-000 Incident Type 0	09/27/2016  Count: 2  ctor activation 09/08/2016  Count: 1  tor activation 09/27/2016  Count: 1	15:18:00 on due to 16:57:00 n due to m 16:10:00	malfunction 60 Systems and semalfunction 63 Restore fire a	larm system	High school/junior  Percent of All:  Multifamily dwelli  Percent of All:  High school/junior	ng 1.9% high school
16-000403-000 16-0000406-000 Incident Type C 733 Smoke detect 16-0000369-000 Incident Type C 734 Heat detect 16-0000408-000 Incident Type C 735 Alarm syste 16-0000391-000	09/27/2016  Count: 2  Ctor activation 09/08/2016  Count: 1  tor activation 09/27/2016  Count: 1	15:18:00  on due to  16:57:00  due to m  16:10:00	malfunction 60 Systems and semalfunction 63 Restore fire a	larm system	High school/junior  Percent of All:  Multifamily dwelli  Percent of All:  High school/junior	ng 1.9% high school

16-0000374-000 09/12/2016 03:04:00 63 Restore fire alarm system Clinics, doctors offices, hemodiz 16-0000388-000 09/19/2016 10:50:00 63 Restore fire alarm system High school/junior high school/mi

#### Page 4

743 Smoke detector activation, no fire - unintentional

#### Incident Type Report

#### Alarm Date Between {09/01/2016} And {09/30/2016}

Incident		Date	Time	Primary Action	Property Use	
Incident Type Co	unt:	2				3.9%

Total Incident Count: 51