



Water Quality Report – 2010

For Calendar Year 2009

What is the water quality of my drinking water?

This year the Berlin Water Works has made improvements in the distribution system by installing 4,600 feet of new water mains. Two Water Storage Tanks were equipped with mixing systems to improve water uniformity and quality. The Berlin Water Works has also continued to optimize the treatment of the water delivered to the customers. Because of these improvements we continue to successfully pass lead and copper testing and the results are improving annually. It is with great pleasure that we say, that this report shows our drinking water continues to improve and is safe to drink.

What is the source of my water?

The primary source is water from the East Branch of the Upper Ammonoosuc River that has been flocculated, clarified, filtered, treated, and disinfected by chlorination. The pH is raised with Sodium bicarbonate and sodium hydroxide as corrosion inhibitor to minimize lead and copper from the tap water. The systems demand average daily flow is 0.889 million gallons per day. There is an alternate groundwater source; the Brown Farm Well, a 1 million gallon per day source that can supplement the water needed for the City residents, on an as needed basis.

Why are contaminants in my water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the US Environmental Protection Agency's Safe Drinking Water Hotline (1-800-426-4791).

How can I get involved?

If you have any questions, please contact the Berlin Water Works Office at 752-1677. You are welcome to attend regular meetings of the Board of Water Commissioners held at 12:00 pm on the 3rd Wednesday of every month at the 55 Willow Street Office. Commissioners are Lucien Langlois, Steve Tardiff, Paul Poulin, and Terry Block.

Other information: Berlin water is tested for a very large number of contaminants, including microbiological contaminants, radioactive contaminants, inorganic contaminants, synthetic organic contaminants (including pesticides and herbicides), and volatile organic contaminants. If no contaminants were detected, we are not required to list the contaminant in this report. Information on test results can be obtained upon request at our main office at 55 Willow Street. Berlin water is also continuously monitored for turbidity and residual chlorine, guaranteeing a safe drinking water. This is verified by the State of New Hampshire DES required sampling of ten locations at various points in the city for bacteria, every month of the year.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Definitions:

MCLG: Maximum Contaminant Level Goal, or the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. They are set as close to the MCLGs as feasible using the best available treatment technology.

AL: Action Level, or the concentration of a contaminant which, when exceeded, triggers treatment or other requirements which a water system must follow.

TT: Treatment Technique, or a required process intended to reduce the level of a contaminant in drinking water.

MRDLG: Maximum residual disinfectant level goal or the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLG's do not reflect the benefits of the use of disinfectants to control microbial contaminants (for water systems that use chlorine).

MRDL: Maximum Residual Disinfectant Level or the highest level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants (for water systems that use chlorine).

Abbreviations:

ppm: parts per million **ppb:** parts per billion **ppt:** parts per trillion **ppq:** parts per quadrillion **pCi/L:** pico curies per liter

NTU: Nephelometric Turbidity Unit

NA – Not applicable **nd:** not detectable at testing limits **AL:** Action Level **TT:** Treatment Technique

Sample Dates: The results for detected contaminants listed below are from the most recent monitoring done in compliance with regulations ending with the year 2009. Results prior to 2009 will include the date the sample was taken. The State of New Hampshire allows water systems to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Thus some of the data present, though representative, may be more than one year old.

Turbidity: is a measure of the cloudiness of the water. It is monitored by surface water systems because it is a good indicator of water quality and thus helps measure the effectiveness of the treatment process. High turbidity can hinder the effectiveness of disinfectants.

DETECTED WATER QUALITY RESULTS						
Contaminant (Units)	Level Detected	MCL	MCLG	Violation YES/NO	Likely Source of Contamination	Health Effects of Contaminant
Microbiological Contaminants						
Total Coliform Bacteria	0 NO	< 40 samples >1 is positive	0		Naturally present in the environment	Coliforms are bacteria that are naturally present and are used as an indicator that other; potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.
Total Organic Carbon (ppm)	1.0 to 1.90 NO	TT	N/A		Naturally present in the Environment	Total organic carbon (TOC) has no health effects. However, total organic carbon provides a medium for the formation of disinfection byproducts. These byproducts include trihalomethanes (THMs) and haloacetic acids (HAAs). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects, liver, or kidney problems, or nervous system effects, and may lead to an increased risk of getting cancer.
Turbidity (NTU)	0.02 to 0.70 NO	TT	N/A		Soil runoff	Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.
Fecal Coliform, E. Coli Bacteria	0 NO	0	0		Human and animal fecal waste	Fecal coliforms and E. coli are bacteria whose presence indicates that the water may be contaminated with human or animal wastes. Microbes in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, headaches, or other symptoms. They may pose a special health risk for infants, young children, and people with severely-compromised immune systems.
Radioactive Contaminants						
Radon 11/6/02 (pCi/L)	ND to 2100 No	None	0		Erosion of natural deposits	Presently the US Environmental Protection Agency is reviewing the setting of a standard for radon in drinking water. See radon note above on page one of this report.
Inorganic Contaminants						
Barium 9/2/08 & 11/24/08 (ppm)	0.012 to 0.020 NO	2	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	Some people who drink water containing barium in excess of the MCL over many years could experience an increase in their blood pressure.
Copper 9/15/09 (ppm)	0.005 to 0.359 90 th	AL=1.3	1.3		Corrosion of household plumbing	Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively

	Percentile =0.338 ppm				systems; erosion of natural deposits; leaching from wood preservatives	short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.
Lead 9/15/09 (ppb)	Number of samples above the AL of 15 ppb was 2 90 th Percentile = 7ppb	AL=15	0		Corrosion of household plumbing systems, erosion of natural deposits	(15 ppb in more than 5%) Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (800-426-4791). (above 15 ppb) Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure.
Nitrate 9/22/09 (as Nitrogen) (ppm)	0.09 NO	10	10		Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	(5 ppm through 10ppm) Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider. (Above 10 ppm) Infants below the age of six months who drink water containing nitrate in excess of the MCL could become seriously ill and, if untreated, may die. Symptoms include shortness of breath and blue baby syndrome.

Volatile Organic Contaminants

Chlorine (ppm)	0.20 to 2.0 NO	MRDL = 4	MRDLG = 4		Water additive used to control microbes	Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort.
Haloacetic Acids (ppb)	10 to 40 Avg. value =28 NO	60	N/A		By-product of drinking water disinfection	Some people who drink water containing haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.

TTHM (Bromodichloro- methane Bromoform Dibromomethane Chloroform) (ppb)	9 to 80 Avg. value = 48 NO	80	N/A		By-product of drinking water chlorination	Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.
---	--	----	-----	--	---	--

Description of Drinking Water Contaminants:

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The United States Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Radon: Radon is a radioactive gas that you can't see, taste or smell. It can move up through the ground and into a home through cracks and holes in the foundation. Radon can also get into indoor air when released from tap water from showering, washing dishes, and other household activities. It is a known human carcinogen. Breathing radon can lead to lung cancer. Drinking water containing radon may cause an increased risk of stomach cancer. Presently the EPA is reviewing a standard for radon in water.

Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. This water system is responsible for high quality drinking water, but can not control the variety of materials used in your plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing cold water your tap for at least 30 seconds before using water for drinking or cooking. Do not use hot water for drinking and cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Source Water Assessment Summary:

The NH Department of Environmental Services has prepared a Source Water Assessment Report for the source(s) serving this community water system, assessing the sources' vulnerability to contamination. The results of the assessment, prepared on (date(s)), are as follows:

(First source name and/or description), received (number) high susceptibility ratings, (number) medium susceptibility ratings, and (number) low susceptibility ratings.

(Second source name and/or description) received (number) high susceptibility ratings, (number) medium susceptibility ratings, and (number) low susceptibility ratings.

(Third source name and/or description), received (number) high susceptibility ratings, (number) medium susceptibility ratings, and (number) low susceptibility ratings.

The complete Assessment Report is available for review at (water system office or other location). For more information call (water system's contact and telephone number) or visit NH Department of Environmental Services Drinking Water & Groundwater Bureau web site at www.des.nh.gov/dwgb

Unregulated Contaminants: